

FIG 1




FIGURE 2

100-118




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6

**DISPLAY SCREEN INFORMATION WINDOW:**

**EXECUTING MQTOOLS STANDARD PROFILE (V1.0.5)**

<b>QUEUE MANAGER</b>	<b>STATUS</b>	<b>MAIN PID</b>	<b>UPTIME (DD-HH:MM:SS)</b>
D03MQ101	UP	21944	62-21:10:19
D03MQ102	DOWN		
ALL QMGRS:	NOT RUNNING		

**MQSERIES MESSAGE BROKER FOR QUEUE MANAGER D03MQ101 RUNNING.**

**HIGH AVAILABILITY CLUSTER: THIS SERVER APPEARS TO BE CONFIGURED FOR HIGHLY AVAILABILITY CLUSTERS. MQSERIES CONFIG CHANGES (NOT DATA CHANGES) NEED TO BE PROPAGATED TO BOTH THE PRIMARY AND BACKUP NODES.**

**HOSTNAMES ASSOCIATED WITH THIS NODE:**

D03MQ101  
D03HA101B1\_STBY  
B305U22

**COMPLEX: THIS SERVER APPEARS TO BE IN A SUPER PARALLEL COMPLEX, AND HOME DIRECTORIES, IDS, AND PASSWORDS, ARE SHARED ACROSS ALL SERVERS IN THE COMPLEX. THE CONTROL WORKSTATION IS <SACWSB>.**

**THIS IS THE GWA BLUE ZONE COMPLEX; THIS IS A PRODUCTION SERVER.**

**FIGURE 7**